

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 9	
1. CONTRACT PURCH ORDER/AGREEMENT NO. DAAE20-02-G-0009			2. DELIVERY ORDER/CALL NO. BR4F		3. DATE OF ORDER/CALL (YYYYMMDD) 2004MAY28		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4		
6. ISSUED BY TACOM WARREN BLDG 231 AMSTA-AQ-AHPB JOSEPH CLOFT (586)753-2652 WARREN, MICHIGAN 48397-5000 EMAIL: CLOFTJ@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL			CODE W56HZV		7. ADMINISTERED BY (If other than 6) DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAB-GJD WARREN, MI 48397-5000 SCD: A PAS: NONE ADP PT: HQ0337			CODE S2305A		8. DELIVERY FOB <input type="checkbox"/> DESTINATION <input checked="" type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR GENERAL DYNAMICS LAND SYSTEMS INC. 38500 MOUND ROAD STERLING HEIGHTS, MI. 48310-3260 NAME AND ADDRESS TYPE BUSINESS: Large Business Performing in U.S.			CODE 7W356		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER		DELIVERY/ CALL <input checked="" type="checkbox"/>		THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.							
PURCHASE		<input type="checkbox"/> Oral <input type="checkbox"/> Written		Quotation _____, Dated _____.							
				furnish the following on terms specified herein.							
				ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.							
<div style="display: flex; justify-content: space-between;"> NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMDD) </div> <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.				24. UNITED STATES OF AMERICA DARYL F. WITTE /SIGNED/ WITTED@TACOM.ARMY.MIL (586)574-7196 BY: CONTRACTING/ORDERING OFFICER					25. TOTAL \$4,629.13		26. DIFFERENCES
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS				<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER	
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD	Page 2 of 9
Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.		

SUPPLEMENTAL INFORMATION

DELIVERY ORDER BR4F, CONTRACT DAAE20-02-G-0009

1. THE INSPECTION, ACCEPTANCE AND FOB ADDRESS FOR CONTRACT DAAE20-02-G-0009, DELIVERY ORDER BR4F IS AS FOLLOWS:
- GDLS/IMPERICAL VALLEY OPERATIONS
450 ATEN ROAD
IMPERIAL, CALIFORNIA 92251
2. THIS DELIVERY ORDER IS BASED ON SOLICITATION W56HZV-04-Q-0238(REFERENCE GDLS Proposal Q-0840R1 DATED 2004 MAY 26).

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD	Page 3 of 9
--------------------	--	-------------

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 4710-01-463-7159 FSCM: 19207 PART NR: 12466832 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u> CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TUBE ASSEMBLY,METAL PRON: EH4A1242EH PRON AMD: 01 ACRN: AA AMS CD: 070011 <u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12466832 DATE: 29-OCT-2003 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV3297S854 W90454 J 1 <u>DEL REL CD QUANTITY DEL DATE</u> 001 15 19-NOV-2004 002 6 20-DEC-2004 FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060 <u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-02-G-0009/BR4F	21	EA	\$ 47.12000	\$ 989.52
0001AB	<u>PRODUCTION QUANTITY</u>	21	EA	\$ 47.12000	\$ 989.52

CONTINUATION SHEET		Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD			Page 4 of 9																					
Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.																										
ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																					
	<p>CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TUBE ASSEMBLY,METAL PRON: EH4RA098EH PRON AMD: 01 ACRN: AA AMS CD: 070011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12466832 DATE: 29-OCT-2003</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>001</td><td>W56HZV3352S859</td><td>W45G19</td><td>J</td><td></td><td>1</td></tr></table><table><tr><td>DEL REL CD</td><td>QUANTITY</td><td>DEL DATE</td></tr><tr><td>001</td><td>9</td><td>20-DEC-2004</td></tr><tr><td>002</td><td>12</td><td>19-JAN-2005</td></tr></table></p> <p>FOB POINT: Origin</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184 TEXARKANA TX 75507-5000</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-02-G-0009/BR4F</p>	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	001	W56HZV3352S859	W45G19	J		1	DEL REL CD	QUANTITY	DEL DATE	001	9	20-DEC-2004	002	12	19-JAN-2005				
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																					
001	W56HZV3352S859	W45G19	J		1																					
DEL REL CD	QUANTITY	DEL DATE																								
001	9	20-DEC-2004																								
002	12	19-JAN-2005																								
0002	NSN: 4710-01-463-7160 FSCM: 19207 PART NR: 12466833 SECURITY CLASS: Unclassified																									
0002AA	<p><u>PRODUCTION QUANTITY</u></p> <p>CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TUBE ASSEMBLY,METAL</p>	23	EA	\$ 61.63000	\$ 1,417.49																					

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD	Page 5 of 9
--------------------	--	-------------

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>PRON: EH4Y1219EH PRON AMD: 01 ACRN: AA AMS CD: 070011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12466833 DATE: 29-OCT-2003</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 W56HZV3314S851 W90454 J 2 <u>DEL REL CD QUANTITY DEL DATE</u> 001 15 19-NOV-2004 002 8 20-DEC-2004</p> <p>FOB POINT: Origin</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> DAAE20-02-G-0009/BR4F</p>				
0002AB	<p><u>PRODUCTION QUANTITY</u></p> <p>CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TUBE ASSEMBLY,METAL PRON: EH4RA097EH PRON AMD: 01 ACRN: AA AMS CD: 070011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 12466833 DATE: 29-OCT-2003</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIRMENTS CLAUSE</p>	20	EA	\$ 61.63000	\$ 1,232.60

SERVICE						ACCOUNTING	OBLIGATED
<u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>STATION</u>	<u>AMOUNT</u>
Army	AA	97	X4930AC6D	6D	26FB S20113	W56HZV	\$ 4,629.13
						TOTAL	\$ 4,629.13

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 8 of 9
	PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD	
Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.		

CONTRACT CLAUSES

	Regulatory Cite	Title	Date
1	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS (COMMERCIAL)	MAR/2004

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

(d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:

- (1) The quantity is over one (1) gross of the same national stock number,
- (2) Use enhances handling and inventorying,
- (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
- (4) The unit pack is less than 64 cubic inches,
- (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4F MOD/AMD	Page 9 of 9
Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.		

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <<http://www.easysoftcorp.com/products/Software/MSL.html>>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

- (h) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
 - (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
 - (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
 - (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of clause]